

Fig. 1




FIGURE 2

Figure 3

IV Pump Manager

Username

Password

IV Pump Manager

Username

Zaleski

Password

Figure 4

405

Refresh Now

IV Pump ID	Location	State	Access Point MAC Address	Pump Up-Time (HH:MM:SS)
<u>1006</u>	3 West	Run	<u>00:09:CD:43:6F:3C</u>	03:24:46
<u>1022</u>	5 North	Hold	<u>01:18:FE:56:8B:2A</u>	00:35:18

400

403

Figure 5

The diagram shows a table with five columns: IV Pump ID, Location, State, Access Point MAC Address, and Pump Up-Time (HH:MM:SS). The first two rows of data are highlighted with callout lines. Callout 400 points to the '1006' entry in the IV Pump ID column. Callout 403 points to the '1022' entry in the IV Pump ID column. Callout 405 points to a 'Refresh Now' button located to the right of the table.

IV Pump ID	Location	State	Access Point MAC Address	Pump Up-Time (HH:MM:SS)
<u>1006</u>	3 West	Run	<u>00:09:CD:43:6F:3C</u>	03:25:08
<u>1022</u>	5 North	Hold	<u>01:18:FE:56:8B:2A</u>	00:35:40

405 → Refresh Now

400 →

403 →




FIGURE 6




FIGURE 7




FIGURE 8